



# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/019,470	05/09/2002	Brett P. Monia	RTSP-0240	4130	
34138 75	590 02/08/2005		EXAM	EXAMINER	
COZEN O'CONNOR, P.C.			SCHULTZ, JAMES		
1900 MARKET			ART UNIT	PAPER NUMBER	
PHILADELPHIA, PA 19103-3508			1635		
			DATE MAILED: 02/08/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		10/019,470	MONIA ET AL.			
		Examiner	Art Unit			
		J. D. Schultz, Ph.D.	1635			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)[🖂	1) Responsive to communication(s) filed on <u>08 November 2004</u> .					
2a)□	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.					
3)□	☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposit	ion of Claims					
5)□	4) ☐ Claim(s) 12-14 and 16-18 is/are pending in the application. 4a) Of the above claim(s) 12-14 is/are withdrawn from consideration.  5) ☐ Claim(s) is/are allowed.  6) ☐ Claim(s) 16-18 is/are rejected.  7) ☐ Claim(s) is/are objected to.					
Applicati	ion Papers					
9) The specification is objected to by the Examiner.						
10)	10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.					
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority (	ınder 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
Attachmen		_	·			
	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948)	4)				
3) 🛛 Inforr	mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date <u>12-28-2001</u> .		atent Application (PTO-152)			

## **DETAILED ACTION**

Page 2

#### Election/Restrictions

Applicant's election with traverse of Group II in the reply filed on November 8, 2004 is acknowledged. The traversal is on the ground(s) that the Newgard reference does not disclose any primer that is antisense to human liver glycogen phosphorylase. Applicants further suggest that even if such a primer were taught, it wouldn't amount to an antisense oligo to human liver glycogen phosphorylase. This is not found persuasive because Newgard teaches throughout the first paragraph under "Materials and Methods" section on page 8132, that primers were used amplify human liver glycogen phosphorylase fragment HL-1, or fragments corresponding to human liver glycogen phosphorylase fragment HL-9. As one of ordinary skill in the art would understand, primers used for amplification of a transcript, in this case fragments of applicants' instantly claimed target of human liver glycogen phosphorylase, must be of sufficient complementarity to hybridize to said transcripts in order for amplification to take place. Since Newgard says that fragments of human liver glycogen phosphorylase were amplified and sequenced, it necessarily follows that primers were used that hybridized, and are therefore antisense to, the human liver glycogen phosphorylase transcripts.

Regarding the argument that such primers are not antisense, it is maintained that the primer compounds of Newgard meet all of the structural requirements of the claim, and further, said primers must clearly must be antisense to the target (i.e. human liver glycogen phosphorylase of the instant specification) in order for hybridization and amplification to take place. Such compounds are considered to be in pharmaceutically acceptable diluents because

PCR is performed in aqueous solutions that are buffered and are considered appropriate as carriers or diluents.

However, further evidence that applicants' claimed special technical feature is not novel is provided in the form of SEQ ID NO: 11 of U. S. Patent Number 5,776,693, which shares 84.6 local similarity to nucleotides 2185 through 2210 of human liver glycogen phosphorylase, and is thus considered to specifically hybridize with the instantly claimed target, particularly in view of the specifications' teaching at page 8 beginning at line 16, "It is understood in the art that the sequence of an antisense compound need not be 100% complementary to that of its target nucleic acid to be specifically hybridizable."

The requirement is still deemed proper and is therefore made FINAL.

Claims 12-14 are withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected invention, there being no allowable generic or linking claim.

Applicant timely traversed the restriction (election) requirement in the reply filed on November 8, 2004.

### Priority

Applicant has not complied with one or more conditions for receiving the benefit of an earlier filing date under 35 U.S.C. 120 as follows:

An application in which the benefits of an earlier application are desired must contain a specific reference to the prior application(s) in the first sentence of the specification or in an application data sheet (37 ČFR 1.78(a)(2) and (a)(5)). The specific reference to any prior nonprovisional application must include the relationship (i.e., continuation, divisional, or

continuation-in-part) between the applications except when the reference is to a prior application of a CPA assigned the same application number, and must indicate the status of that application (i.e. patented, abandoned, pending).

#### Information Disclosure Statement

The information disclosure statement (IDS) submitted on 28 December 2001 was filed within three months of filing date of the instant application. The submission is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement has been considered by the examiner, and a signed copy is attached herewith.

# Claim Rejections - 35 USC § 112

Claims 16-18 are rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for antisense-mediated inhibition of human liver glycogen phosphorylase expression *in vitro*, does not reasonably provide enablement for antisense-mediated inhibition of human liver glycogen phosphorylase expression *in vivo*, or for methods of treating diseases associated with its expression *in vivo*. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the invention commensurate in scope with these claims.

The claims of the above invention are also drawn to methods of treating an animal having a condition associated with human liver glycogen phosphorylase, wherein antisense compositions are administered to animals such that expression of human liver glycogen phosphorylase is inhibited, wherein said condition may be diabetes or diabetes type II.

The specification teaches prophetic methods of treatment using antisense oligos targeted to human liver glycogen phosphorylase, with broad treatment regimens that include pharmaceutical formulations, and treatment regimens comprising, for example, antisense administration at concentrations between 0.01 µg to 100 g per kg of body weight, from once or more daily, weekly, monthly, or yearly, or even once every 2 to 20 years. The specification exemplifies only for methods of using the claimed compositions to inhibit the expression of human liver glycogen phosphorylase in cultured cells *in vitro*.

The specification as filed does not provide sufficient guidance or appropriate examples that would enable a skilled artisan to use the disclosed compounds or methods of using said compounds in *in vivo* environments. Additionally, a person skilled in the art would recognize that predicting the treatment efficacy of an antisense compound *in vivo* based solely on its performance *in vitro* is unpredictable. Thus, although the specification prophetically considers and discloses general methodologies of using the claimed constructs *in vivo* or in methods of inhibition or treatment, such a disclosure would not be considered enabling since the state of antisense-mediated gene inhibition is highly unpredictable. The factors listed below have been considered in the analysis of enablement:

- (A) The breadth of the claims;
- (B) The nature of the invention;
- (C) The state of the prior art;
- (D) The level of one of ordinary skill;
- (E) The level of predictability in the art;
- (F) The amount of direction provided by the inventor,
- (G) The existence of working examples; and
- (H) The quantity of experimentation needed to make or use the invention based on the content of the disclosure.

The following references are cited herein to illustrate the state of the art of antisense treatment.

A recent (2002) review article by Braasch et al., published around the time of the instant filing date and therefore indicative of the state of the art at the time of filing, concludes that major obstacles persist in the art of using antisense oligos in treating disease: "gene inhibition by antisense oligomers has not proven to be a robust or generally reliable technology. Many researchers are skeptical about the approach, and it has been suggested that many published studies are at least partially unreliable" (Pg. 4503, para. 1 and 2). Braasch et al. specifically identify 3 factors that contribute to the unpredictable efficacy of using antisense compounds in general: 1) the variable capability of antisense oligonucleotides to access sites within the mRNA to be targeted; 2) problems pertaining to the delivery and uptake of the antisense oligos by cells, with the result that "the difference in oligonucleotide dose required to inhibit expression is often not much different than doses that lead to nonselective toxicity and cell death"; and 3), that "oligonucleotides can bind to proteins and produce artifactual phenotypes that obscure effects due to the intended antisense mechanism.

Regarding the difficulties of predicting whether antisense oligonucleotides can access sites within their target mRNA, Braasch et al. elaborates, "it has been difficult to identify oligonucleotides that act as potent inhibitors of gene expression, primarily due to difficulties in predicting the secondary structures of RNA (Pg. 4503, para. 1 and 2). Branch adds that "internal structures of target RNAs and their associations with cellular proteins create physical barriers, which render most potential binding sites inaccessible to antisense molecules" (Page 45, third column). Additionally, in a review of the potential use of antisense oligos as therapeutic agents, Gewirtz et al. teach that the inhibitory activity of an oligo depends unpredictably on the sequence and structure of the nucleic acid target site and the ability of the oligo to reach its target, and that

"[a]ttempts to describe the in vivo structure of RNA, in contrast to DNA, have been fraught with difficulty." (Page 3161, second column).

The uptake of oligonucleotides by cells has been addressed by Agrawal, who states that "[o]ligonucleotides must be taken up by cells in order to be effective....several reports have shown that efficient uptake of oligonucleotides occurs in a variety of cell lines, including primary cells whereas other reports indicate negligible cellular uptake of oligonucleotides. Cellular uptake of oligonucleotides is complex process; it depends on many factors, including the cell type, the stage of the cell cycle, the concentration of serum. It is therefore, difficult to generalize that all oligonucleotides are taken up in all cells with the same efficiency" (Page 378). "[M]icroinjection or using lipid carriers to supply an oligonucleotide in cell culture increases the potency of the oligonucleotide in cell culture, but it is not clear how relevant this approach is for in vivo situations." (Page 379). Gewirtz adds that [t]he other major problem in this field is the ability to deliver ODN (oligodeoxynucleotides) into cells and have them reach their target . Without this ability, it is clear that even an appropriately targeted sequence is not likely to be efficient."

Branch et al. discuss the problems pertaining to non-specific oligo interactions that lead to artifactual phenotypes during in vivo antisense administration: "non-antisense effects are not currently predictable, rules for rational design cannot be applied to the production of nonantisense drugs, These effects must be explored on a case by case basis" (Page 50), while Tamm et al. states that "[i]mmune stimulation is widely recognized as an undesirable side-effect...the immunostimulatory activity of a phosphorothioate-modified oligonucleotide is largely unpredictable and has to be ascertained experimentally" (page 493, right column).

Page 8

Art Unit: 1635

Further, regarding the therapeutic benefit of antisense technology in general, Branch states that "in fact, nucleic acid drugs should not be thought of as magic bullets. Their therapeutic use will require vigilant monitoring. Compared to the dose response curves of conventional drugs, which typically span two to three orders of magnitude, those of antisense drugs extend only across a narrow concentration range. Both *in vitro* and *in vivo*, less than a factor of ten often separates the concentration producing no antisense effect form that producing the full antisense effect. Steep dose-response curves commonly indicate that a drug has multiple, synergistic mechanisms of action. A drug with a narrow therapeutic window can be potent and extremely valuable, but can also be tricky to use safely. Since the ratio of antisense to non-antisense effects drops sharply outside a restricted concentration range, it will be challenging to obtain consistent therapeutic benefit (Page 46, second column).

Tamm et al. concludes by stating that until "the therapeutic activity of an antisense oligonucleotide is defined by the antisense sequence, and thus is to some extent predictable...antisense will not be better than other drug development strategies, most of which depend on an empirical approach."

Finally, Branch states that "[i]t is not yet clear whether *in vitro* screening techniques of the sort used by Milner and co-workers will identify ODNs that are effective *in vivo*. With so many possible sequences to choose from, and the likelihood that *in vitro* studies will not always predict *in vivo* efficacy, straightforward new screening techniques need to be developed for use in cells."

Thus, it is maintained that the prior art at the time of applicants' filing would not enable the use of *in vitro* antisense screening techniques to support claims directed to claims reciting

therapeutic use *in vivo*. Accordingly, one skilled in the art, being unable to use the prior art for such guidance, must necessarily find such guidance from the specification. However, one of skill would not find the guidance provided in the specification in the form of *in vitro* examples and broad prophetic treatment regimens enough to overcome the unpredictability and challenges of applying results from *in vitro* experiments to the *in vivo* treatment of disease, or *in vivo* methods of inhibition, as exemplified in the references above.

This is particularly true in view of the claimed breadth of claim 16, which pertains to treating or preventing any condition or disease suspected of being associated with a particular target gene *in vivo*. The specification as filed fails to provide any particular guidance which resolves the known unpredictability in the art associated with appropriate *in vivo* delivery and treatment effects provided by the antisense administered, and specifically regarding the instant compositions and methods claimed.

Since the specification fails to provide any real guidance for the methods of using antisense *in vivo* or in the successful treatment or prevention of such a broad range of diseases, and since resolution of the various complications in regards to targeting a particular gene in an organism is highly unpredictable, one of skill in the art would have been unable to practice the invention without engaging in undue trial and error experimentation. In order to practice the invention using the specification and the state of the prior art as outlined above, the quantity of experimentation required to practice the invention as claimed *in vivo* would require the *de novo* determination of those sequences that are successfully delivered to target sites in appropriate cells and /or tissues such that inhibition is achieved and treatment attained. In the absence of any

real guidance from the specification, the amount of experimentation would be undue, and one would have been unable to practice the invention over the scope claimed.

#### Conclusion

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to (571) 272-0547.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to J. Douglas Schultz, Ph.D. whose telephone number is 571-272-0763. The examiner can normally be reached on 8:00-4:30 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John L. LeGuyader can be reached on 571-272-0760. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Patent applicants with problems or questions regarding electronic images that can be viewed in the Patent Application Information Retrieval system (PAIR) can now contact the USPTO's Patent Electronic Business Center (Patent EBC) for assistance. Representatives are available to answer your questions daily from 6 am to midnight (EST). The toll free number is (866) 217-9197. When calling please have your application serial or patent number, the type of document you are having an image problem with, the number of pages and the specific nature of the problem. The Patent Electronic Business Center will notify applicants of the resolution of the problem within 5-7 business days. Applicants can also check PAIR to confirm that the problem has been corrected. The USPTO's Patent Electronic Business Center is a complete service center supporting all patent business on the Internet. The USPTO's PAIR system provides Internet-based access to patent application status and history information. It also enables applicants to view the scanned images of their own application file folder(s) as well as general patent information available to the public.

For all other customer support, please call the USPTO Call Center (UCC) at 800-786-9199.

Page 11

JD Schultz, PhD Patent Examiner

Art Unit 1635